

- The architect's conviction that he can have all the work done alone, either he is the designer or the contractor.
- The lack of awareness.
- AEC firms are not appreciating the IDP benefits.
- Trust issues between the client and the contractor are leading to the inability to integrate together.

Facing these issues can result in an appropriate application of the IDP; these obstacles can be prevented by taking them into consideration.

5. Conclusion

The ID is an advantageous approach helping with the assembly of the appropriate organizations and individuals; it helps to manage their integrative actions to ensure best value creation. The application of the IDP into the architectural practice is facing some constraints obstructing the integrative team from cooperating and contributing their ideas and technical knowledge. This paper presents a survey exploring the additional factors and obstacles that could affect the application of the IDP in design firms. One of the results emphasized at the end of this survey is the importance of the IDP in architectural and engineering design firms to improve the project's quality. In addition, some recommendations were presented in the survey demanding to increase the awareness of the stakeholders with the IDP and its benefits to lessen the constraints facing the firm.

6. References

- [1] M. Einsohn, The popular guide to whole systems and integrative design process, ProQuest Diss. Publ. UMI 1512867. (2012).
<http://mplbci.ekb.eg/MuseProxyID=1104/MuseSessionID=0711ji4xt/MuseProtocol=https/MuseHost=search.proquest.com/MusePath/pqdtglobal/docview/1023103037/28685E3221114F20PQ/1?accountid=178282>.
- [2] A. Aminmansour, K.S. Moon, Integrated Design and Construction of Tall Buildings, *J. Archit. Eng.* (2010). doi:10.1061/(ASCE)1076-0431(2010)16:2(47).
[https://doi.org/10.1061/\(ASCE\)1076-0431\(2010\)16:2\(47\)](https://doi.org/10.1061/(ASCE)1076-0431(2010)16:2(47))
- [3] B. Reed, *The integrative design guide to green building: Redefining the Practice of sustainability*, John Wiley & Sons, New Jersey, 2009.
- [4] G. Lohnert, A. Dalkowski, W. Sutter, *Integrated Design Process: A Guideline for Sustainable and Solar-Optimized Building Design*, IEA Int. Energy Agency. (2003). <http://task23.iea-shc.org/integrated-design-process> (accessed April 2, 2018).
- [5] N. Galiotto, P. Heiselberg, M. Knudstrup, *Integrated Renovation Process: Overcoming Barriers to Sustainable Renovation*, *J. Archit. Eng.* 21 (2015) 04015007:1-12. doi:10.1061/(ASCE)AE.1943-5568.0000180.
[https://doi.org/10.1061/\(ASCE\)AE.1943-5568.0000180](https://doi.org/10.1061/(ASCE)AE.1943-5568.0000180)
- [6] D. Prowler, *Whole Building Design*, (2007). <https://www.wbdg.org/resources/whole-building-design> (accessed April 2, 2018).
- [7] A.N.S. Institute, *Integrative Process (IP)*, ANSI Consens. Natl. Stand. Guid. Des. Constr. Sustain. Build. Communities. (2012).
- [8] S. Chunduri, *Development of planning and designing phases of an integrative building cycle process model for advanced energy retrofit projects*, ProQuest Diss. Publ. UMI 3647428. (2014).
https://etda.libraries.psu.edu/files/final_submissions/9943.
- [9] The WBDG Aesthetics Subcommittee, *Engage the integrated design process*, *Whole Build. Des. Guid. A Progr. Natl. Inst. Build. Sci.* (2016). <https://www.wbdg.org/design-objectives/aesthetics/engage-integrated-design-process> (accessed April 2, 2018).
- [10] B. Perkins+Will, Stantec Consulting, *Roadmap for the Integrated Design Process*, BC Green Build. Roundtable. (2007).
[http://perkinswill.com/sites/default/files/Roadmap for the IDP.pdf](http://perkinswill.com/sites/default/files/Roadmap%20for%20the%20IDP.pdf) (accessed April 2, 2018).

- [11] eCubed Building Workshop Ltd., Integrated Whole Building Design Guidelines, (2008) 36. <http://www.mfe.govt.nz/publications/sustainability/integrated-whole-building-design-guidelines> (accessed April 2, 2018).
- [12] J.A. Todd, G. Lindsey, Planning and conduction integrated design (ID) charrettes, Whole Build. Des. Guid. A Progr. Natl. Inst. Build. Sci. (2016). <https://www.wbdg.org/resources/planning-and-conducting-integrated-design-id-charrettes> (accessed April 2, 2018).
- [13] R. Deutsch, BIM And Integrated Design-Strategies For Architectural Practice, John Wiley & Sons, New Jersey, 2011. <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:No+Title#0>.
- [14] S. Korkmaz, J.I. Messner, D.R. Riley, C. Magent, High-Performance Green Building Design Process Modeling and Integrated Use of Visualization Tools, J. Archit. Eng. 16 (2010) 37–45. doi:10.1061/(ASCE)1076-0431(2010)16:1(37). [https://doi.org/10.1061/\(ASCE\)1076-0431\(2010\)16:1\(37\)](https://doi.org/10.1061/(ASCE)1076-0431(2010)16:1(37))
- [15] M. Whaley, There is No I in IPD!, (2009). <http://bimboom.blogspot.com.eg/2009/05/there-is-no-i-in-ipd-aecbytes-viewpoint.html> (accessed April 2, 2018).
- [16] R.R. Senescu, J.R. Haymaker, S. Meža, M.A. Fischer, Design Process Communication Methodology: Improving the Effectiveness and Efficiency of Collaboration, Sharing, and Understanding, J. Archit. Eng. 20 (2014) 5013001. doi:10.1061/(ASCE)AE.1943-5568.0000122. [https://doi.org/10.1061/\(ASCE\)AE.1943-5568.0000122](https://doi.org/10.1061/(ASCE)AE.1943-5568.0000122)
- N.M. Post, Integrated-Project-Delivery Boosters Ignore Many Flashing Red Lights, (2010). archrecord.construction.com/news/daily/archives/2010/100506ipd-2.asp. (accessed April 2, 2018).